



## SELECTION OF AN AUGER DEVICE FOR A MACHINE FOR SPREADING AND COMPACTING IMPROVED ROAD CONSTRUCTION MATERIALS

P.G.Hikmatov

J.U.Ruzikulov

Teachers of the Bukhara Institute Of Nature  
Resource Management NRU "TIAME"

O.S.Sayidov

Bukhara Institute Of Nature Resource Management  
NRU "TIAME" Master's student of the second cycle

Ruzikulova Dilnoza Uktamovna


Student of "TIAME" NRU "Bukhara Institute of  
Natural Resources Management

<https://doi.org/10.5281/zenodo.8050278>

Decree PQ-4035 of 27 November 2018 by President Mirziyoyev - "Design and road works on the basis of advanced development of the country's road transport infrastructure, introduction of advanced technologies and best foreign practices to further improve its quality, as well as comprehensive improvement of the state management system in the field of road construction in connection with the five priority development areas of the Republic of Uzbekistan in 2017-2021 he mentioned a few thoughts.

To this end, creating new machines and improving existing ones is the challenge of today. In our previous research we talked about the design of an improved machine for spreading and compacting road construction materials. Our current research shows that we are conducting a series of studies to select augers for an improved machine and to put into practice the optimum.

Augers are divided into single, winged and shaped augers according to their structure (picture 1).



a) integral; b) ribbon; c) feathered; d) fashionable

### Picture 1: Types of augers

For transporting loose, granular and powdery materials, including soil, integrated auger types are used; for transporting coarse solid materials (coarse gravel, sandstone, limestone, etc.) belt augers are used; for transporting pasty and clayey and sticky materials (cement-sand mixtures, concrete mixtures) and used in moving materials.

Based on the recommendations above, it is advisable to choose one type of auger.

The results of previous studies show that the movement of pieces of road construction material along its axis under the action of an auger rotating around a horizontal axis can be expressed by the following differential equations.

$$N_{uu} \cos \alpha_R - f_{uu} N_{uu} \sin \alpha_R - mR \left( \frac{d^2 \varphi}{dt^2} \right) - f_T N_T \cos \beta_R = 0; \quad (1)$$

$$mg \sin \varepsilon - f_T N_T \sin \beta_R - f_{uu} N_{uu} \sin \alpha_R - N_{uu} \sin \alpha_R - mR \left( \frac{d^2 \varphi}{dt^2} \right) = 0; \quad (2)$$

$$mg \cos \varepsilon - mR \omega_0^2 + mR \left( \frac{d\varphi}{dt} \right)^2 - N_T - 2mR \omega_0 \frac{d\varphi}{dt} = 0, \quad (3)$$

therein  $N_{uu}$  – normal auger reaction force on the ground;

$f_{uu}$  – coefficient of soil friction on the auger screw;

$\alpha_R = \arctg \frac{l_{uu}}{2\pi R}$  – angle of elevation of the screw line on the outside radius of the

auger;

$l_{uu} = 2\pi R \tg \alpha_R$  – auger pitch;

$R$  – auger screw radius;

$m$  – chunk weight;

$g$  – acceleration of gravity;

$N_T$  – normal reaction force of the ground;

$f_T$  – the coefficient of soil friction;

$\beta_R$  – angle between the absolute velocity vector of the chunk and the auger axis;

$\varphi = \varphi(t)$  – angle of lag of a piece of soil when the auger rotates at a constant angular velocity  $\omega_0$ ;

$t$  – Current time;

$\frac{d\varphi}{dt} = \omega_T$  – angular speed of ground motion;

$\varepsilon$  – angle defining the position of the piece of soil relative to the vertical plane, deg;

$\psi = \omega_0 t$  – Angle of rotation of the propeller in  $t$  time;

$mR \frac{d^2 \varphi}{dt^2}$  – tangential force of inertia;

$m \omega_0^2 R$  – centrifugal force of inertia in translational motion;

$mR \left( \frac{d\varphi}{dt} \right)^2$  – centrifugal force of inertia in relative motion;

$$2m\omega_0 R \frac{d\phi}{dt} - \text{Coriolis force;}$$

$$ma_R \frac{d^2\phi}{dt^2} - \text{axial force of inertia.}$$

In summary, from our research we can say that it is reasonable to use a single-screw auger as an auger for an improved machine for spreading and compacting road construction materials.

### Foydalanilgan adabiyotlar:

1. Imomov Sh., Jurayev A., Ruziqulov J., Kurbonboyev S., Ruziqulova D., Xusinov S., Madadkhonov T. (2022). THEORETICAL STUDIES ON THE DESIGN OF TRENCHER WORK EQUIPMENT. Eurasian Journal of Academic Research, 2(12), 989–996. <https://www.in-academy.uz/index.php/ejar/article/view/6504>
2. Sh.J.Imomov, J.U.Ruzikulov, S.S.Kurbanbayev, H.S.Safarov, K.S.Sobirov, and Z.Sh.Isakov "Technological process of provisional dig a ditch", Proc. SPIE 12296, International Conference on Remote Sensing of the Earth: Geoinformatics, Cartography, Ecology, and Agriculture (RSE 2022), 1229600 (6 July 2022); <https://doi.org/10.1117/12.2642980>
3. Sh. J. Imomov, J. U. Ruzikulov, S. S. Kurbanbayev, H. S. Safarov, K. S. Sobirov, and Z. Sh. Isakov "Technological process of provisional dig a ditch", Proc. SPIE 12296, International Conference on Remote Sensing of the Earth: Geoinformatics, Cartography, Ecology, and Agriculture (RSE 2022), 1229600 (6 July 2022); <https://doi.org/10.1117/12.2642980>
4. Energy-saving device for temporary ditch digging I S Hasanov<sup>1</sup>, J U Ruzikulov<sup>1</sup>, F A Ergashov<sup>1</sup>, M J Toshmurodova<sup>1</sup> and M R Sotlikova<sup>1</sup> Published under licence by IOP Publishing Ltd IOP Conference Series: Earth and Environmental Science, Volume 868, International Conference on Agricultural Engineering and Green Infrastructure Solutions (AEGIS 2021) 12th-14th May 2021, Tashkent, Uzbekistan Citation I S Hasanov et al 2021 IOP Conf. Ser.: Earth Environ. Sci. 868 012091 DOI 10.1088/1755-1315/868/1/012091
5. Ruzikulov Jasur Uktam ugli, Kurbanbayev Sindorbek Sarvarbek ugli, Nasrullayev Alpomish Anvarjon ugli, Safarov Khusniddin Sirojiddin ugli, Research on the establishment of an improved temporary ditch production device, Galaxy international interdisciplinary research journal (GIIRJ), Volume 9, Issue 11, November, 2021
6. Ruziqulov Jasur Uktam ugli, Isakov Zafarjon Shuxrat ugli, Qurbonboyev Sindorbek Sarvarbek ugli, Ruziqulova Dilnoza Uktamovna, Xusinov Sarvarbek Nodirbek ugli. (2022). INCREASING THE WORKING PRODUCTIVITY OF THE CASE 1150 L BULLDOZER BY IMPROVING THE WORKING EQUIPMENT. Neo Science Peer Reviewed Journal, 4, 87–90. Retrieved from <https://www.neojournals.com/index.php/nsprj/article/view/83>
7. Imomov Shavkat Jakhonovich, Murodov Tohir Faxriddin ugli, Isakov Zafarjon Shuxrat ugli, Ochilov Nuriddinjon zokirovich, Iskandarov Johongir Ochil ugli, & Ruziqulova Dilnoza Uktamovna. (2022). LOCAL FERTILIZER MACHINE WITH AUGER. Neo Science Peer Reviewed Journal, 4, 91–93. Retrieved from <https://www.neojournals.com/index.php/nsprj/article/view/84>
8. Ruziqulov , J. ., Kurbonboyev, S. ., Xusinov, S., & Ruziqulova , D. . (2023). IMPROVEMENT OF THE SCRAPER WORK EQUIPMENT AND IMPROVING ITS EFFICIENCY. Eurasian Journal of Academic Research, 3(1 Part 4), 12–16. извлечено от <https://in-academy.uz/index.php/ejar/article/view/8935>

9. Vafoev S.T. Recultivation Machines. Durslir.-T.: "Science and Technology", 2013, 305 pp.
10. Vafoev R.S. Theoretical bases of mechanical compaction of drainage trench soil. Traditional XVII scientific-practical conference of young scientists, post-graduate students and talented students on "Modern problems of agriculture and water management". 28-29 March 2019.
11. Prudnikov G.T. Design and calculation of land reclamation machines. Textbook for Higher Education Institutions. Tashkent, 1974. 122 c..
12. Saidova M., Vafoev S.T. Calculation of economic efficiency of new construction and land reclamation machines. Guidelines. - Tashkent. TECHMI, 1996. - 48 c.
13. <http://katalog-tehniki-sssr.ru> - Agricultural machinery catalogue.
14. <http://www.uraltehnika.ru> - The Urals special equipment..
15. <http://www.nationalrent.ru>- Ural special equipment Rental special equipment.